


For answers, send email to: admin@tutor-homework.com.

Include file name: Chemistry_Worksheet_0020

Price: \$3

(c) 2012 www.tutor-homework.com: Tutoring, homework help, help with online classes.

1. Hydrazine, H_2NNH_2 , is used as a rocket fuel. For liquid hydrazine at 25°C , $\Delta H^\circ_f = 50.63 \text{ kJ/mol}$ and S° is $121.2 \text{ J/K}\cdot\text{mol}$. Can hydrazine be prepared from the reaction?



At 25°C , S° for $\text{N}_2(\text{g}) = 0.192 \text{ J/K}\cdot\text{mol}$ and S° for $\text{H}_2(\text{g}) = 130.68 \text{ J/K}\cdot\text{mol}$.

2. Use the data that is provided below to calculate the standard free-energy change for the thermal decomposition of calcium carbonate at 25°C . Is the reaction spontaneous under these conditions? Explain your answer.




$\Delta H^\circ_f(\text{kJ/mol})$	-1206.9	-635.1	-393.5
$S^\circ(\text{J/K}\cdot\text{mol})$	92.9	39.7	213.6

3. Calculate the free energy change, ΔG , for the formation of ethylene (C_2H_4) from carbon and hydrogen at 25°C when the partial pressures are 10 atm H_2 and 2.0 atm C_2H_4 , then tell whether the reaction is spontaneous in the forward direction or not.




4. Consider the following anaerobic fermentation reaction of glucose:



If ΔG° for CH_4 is -50.8 kJ/mol and -394.2 kJ/mol for CO_2 , what is ΔG° for $\text{C}_6\text{H}_{12}\text{O}_6$?

5. Calculate ΔG°_f and K_p for NH_3 at 25°C given that for ΔG° for the reaction is -31.0 kJ :



www.tutor-homework.com