

MODULE 2

LESSON 7

QUIZ

1. Question. Which of the following are best approximations of the roots of $P(x) = 2x^3 + 11x^2 + 14x + 3$?

A. $-3.830, -1.489, -2.13$

B. $-0.818, -0.278, 6.596$

C. $-3.732, -1.5, -0.268$

D. $-9.570, -1.160, -0.270$

Go to answer 1

2. Question. Which of the following are the exact values of the real zeros of $P(x) = 2x^3 + 11x^2 + 14x + 3$?

A. $-\frac{3}{2}, -3, -\frac{1}{2}$

B. $\frac{3}{2}, -3, -\frac{1}{2}$

C. $-\frac{3}{2}, -2 + \sqrt{3}, -2 - \sqrt{3}$

D. $-\frac{3}{2}, -2 + \sqrt{3}, 2 - \sqrt{3}$

Go to answer 2

3. Question. Which of the following are the zeros of $P(x) = -x^4 + 5x^3 - 9x^2 + 3x + 6$ approximated to the nearest tenth.

A. $-0.6, 0.4, 2.0, 2.7$

B. $-0.6, 2.0$

C. $-0.6, 0.3, 0.6, 1.3$

D. $-2.3, -0.7$ (of multiplicity 2), 2.1

Go to answer 3

4. Question. Which of the following is true about the polynomial $P(x) = 2x^3 + 11x^2 + 14x + 3$?

- A. $P(x)$ does not have a rational zero.
- B. $P(x)$ has only one rational zero.
- C. $P(x)$ has exactly two rational zeros.
- D. $P(x)$ has three rational zeros.

Go to answer 4

1. Answer to Question 1 is "C".
Go back 1

2. Answer to Question 2 is "C".
Go back 2

3. Answer to Question 3 is "B".
Go back 3

4. Answer to Question 4 is "B".
Go back 4